










|  <b>RFID nylon wristband series</b>  |   |   |   |   |   |   |  |  |  |  |
|--|---|---|---|---|---|---|--|--|--|--|
| <b>Photos</b>  |  |  |  |  |  |  |  |  |  |  |
| <b>Product number</b>  | MH-NL001  | MH-NL002  | MH-NL003  | MH-NL004  | MH-NL005  | MH-NL006  |  |  |  |  |
| <b>Shape</b>   | magic tape  | magic tape  | the insert clasp  | watch clasp   | contoured clasp   | contoured clasp   |  |  |  |  |
| <b>Size</b>  | 245*37*16MM   | 280*37*20MM   | 265*37*16MM   | 265*37*16MM   | 260*26*16MM   | 350*26*16MM   |  |  |  |  |
| <b>encapsulation</b>   | two step molding  | two step molding  | two step molding  | two step molding  | two step molding  | two step molding  |  |  |  |  |
| <b>LF</b>  | √   | √   | √   | √   | √   | √   |  |  |  |  |
| <b>HF</b>  | √   | √   | √   | √   | √   | √   |  |  |  |  |
| <b>UHF</b>   | √   | √   | √   | √   | √   | √   |  |  |  |  |
| <b>weight</b>  | 7.18g   | 13.50g  | 10.40g  | 9.85g   | 11.00g  | 4.50g   |  |  |  |  |
| <b>package</b>   | 100pcs/bag<br>1000pcs/carton  | 100pcs/bag<br>1000pcs/carton  | 100pcs/bag<br>1000pcs/carton  | 100pcs/bag<br>1000pcs/carton  | 100pcs/bag<br>1000pcs/carton  | 100pcs/bag<br>1000pcs/carton  |  |  |  |  |
| <b>working temperature</b>   | -30℃~75℃  | -30℃~75℃  | -30℃~75℃  | -30℃~75℃  | -30℃~75℃  | -30℃~75℃  |  |  |  |  |



  
*The Secure Solution*
  
[www.SmartCardAmerica.com](http://www.SmartCardAmerica.com)

| RFID plastic rubber wristband series |   |   |   |   |   |   |   |  |  |  |
|--------------------------------------|---|---|---|---|---|---|---|--|--|--|
| Photos                               |  |  |  |  |  |  |  |  |  |  |
| Product number                       | MH-SJ001  | MH-SJ002  | MH-SJ003  | MH-SJ004  | MH-SJ005  | MH-SJ006  | MH-SJ007  |  |  |  |
| Shape                                | oval  | oval  | oval  | oval  | watch clasp   | watch clasp   | watch clasp   |  |  |  |
| Size                                 | Φ45MM   | Φ65MM   | Φ65MM   | Φ77MM   | 258*37*16MM   | 220*34*16MM   | 220*34*16MM   |  |  |  |
| encapsulation                        | two step molding  | two step molding  | two step molding  | two step molding  | two step molding  | two step molding  | two step molding  |  |  |  |
| LF                                   | √   | √   | √   | √   | √   | √   | √   |  |  |  |
| HF                                   | √   | √   | √   | √   | √   | √   | √   |  |  |  |
| UHF                                  | √   | √   | √   | √   | √   | √   | √   |  |  |  |
| weight                               | 14.30g  | 16.00g  | 17.10g  | 22.40g  | 13.50g  | 14.00g  | 13.50g  |  |  |  |
| package                              | 100pcs/bag<br>1500pcs/carton  | 100pcs/bag<br>1000pcs/carton  | 100pcs/bag<br>1000pcs/carton  | 100pcs/bag<br>1000pcs/carton  | 100pcs/bag<br>1000pcs/carton  | 100pcs/bag<br>1000pcs/carton  | 100pcs/bag<br>1000pcs/carton  |  |  |  |
| working temperature                  | -30℃~75℃  | -30℃~75℃  | -40℃~85℃  | -40℃~85℃  | -30℃~75℃  | -30℃~75℃  | -30℃~75℃  |  |  |  |


**SMARTCARD**  
**A M E R I C A**  
*The Secure Solution*  
[www.SmartCardAmerica.com](http://www.SmartCardAmerica.com)



# RFID Disposable Paper Wristband Series



|                            |                              |                              |                              |                              |                              |                              |                              |                              |  |  |
|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|--|--|
| <b>Photos</b>              |                              |                              |                              |                              |                              |                              |                              |                              |  |  |
| <b>Product number</b>      | MH-PVC001                    | MH-PVC002                    | MH-PVC003                    | MH-PVC004                    | MH-PVC005                    | MH-PVC006                    | MH-PVC007                    | MH-PVC008                    |  |  |
| <b>Shape</b>               | snap clasp                   | snap clasp                   | watch clasp                  | watch clasp                  | watch clasp                  | watch clasp                  | disposable clasp             | tamper clasp                 |  |  |
| <b>Size</b>                | 180*30*14MM                  | 220*38*18MM                  | 212*33*15MM                  | 250*33*15MM                  | 240*33*15MM                  | 235*35*20MM                  | 240*38*18MM                  | 240*37*22MM                  |  |  |
| <b>encapsulation</b>       | one step molding             | one step molding             | one step molding             | one step molding             | one step molding             | one step molding             | one step molding             | one step molding             |  |  |
| <b>LF</b>                  | √                            | √                            | √                            | √                            | √                            | √                            | √                            | √                            |  |  |
| <b>HF</b>                  | √                            | √                            | √                            | √                            | √                            | √                            | √                            | √                            |  |  |
| <b>UHF</b>                 | √                            | √                            | √                            | √                            | √                            | √                            | √                            | √                            |  |  |
| <b>weight</b>              | 7.53g                        | 11.63g                       | 17.70g                       | 20.50g                       | 22.00g                       | 13.85g                       | 15.60g                       | 27.20g                       |  |  |
| <b>package</b>             | 100pcs/bag<br>1500pcs/carton | 100pcs/bag<br>1000pcs/carton | 100pcs/bag<br>1000pcs/carton | 100pcs/bag<br>1000pcs/carton | 100pcs/bag<br>1000pcs/carton | 100pcs/bag<br>1000pcs/carton | 100pcs/bag<br>1000pcs/carton | 100pcs/bag<br>1000pcs/carton |  |  |
| <b>working temperature</b> | -30℃~75℃                     | -30℃~75℃                     | -30℃~75℃                     | -30℃~75℃                     | -30℃~75℃                     | -30℃~75℃                     | -30℃~75℃                     | -30℃~75℃                     |  |  |

**SMARTCARD**  
**A M E R I C A**

*The Secure Solution*





[www.SmartCardAmerica.com](http://www.SmartCardAmerica.com)





# RFID disposable PVC wristband series



|                            |   |   |   |   |   |   |   |  |  |  |
|----------------------------|---|---|---|---|---|---|---|--|--|--|
| <b>Photos</b>              |  |  |  |  |  |  |  |  |  |  |
| <b>Product number</b>      | MH-PVC001   | MH-PVC002   | MH-PVC003   | MH-PVC004   | MH-PVC005   | MH-PVC006   | MH-PVC007   |  |  |  |
| <b>Shape</b>               | disposable clasp/<br>more time clasp  | disposable clasp/<br>more time clasp  | disposable clasp/<br>more time clasp  | disposable clasp/<br>more time clasp  | disposable clasp/<br>more time clasp  | disposable clasp/<br>more time clasp  | disposable clasp/<br>more time clasp  |  |  |  |
| <b>Size</b>                | 210*35*14MM   | 250*30*14MM   | 250*30*14MM   | 300*32*26MM   | 245*51*26MM   | 300*30*14MM   | 250*30*14MM   |  |  |  |
| <b>encapsulation</b>       | one step molding  | one step molding  | one step molding  | one step molding  | one step molding  | one step molding  | one step molding  |  |  |  |
| <b>LF</b>                  | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   |  |  |  |
| <b>HF</b>                  | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   |  |  |  |
| <b>UHF</b>                 | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   |  |  |  |
| <b>weight</b>              | 2.30g   | 2.88g   | 3.38g   | 4.15g   | 3.96g   | 4.20g   | 2.50g   |  |  |  |
| <b>package</b>             | 100pcs/bag<br>3000pcs/carton  | 100pcs/bag<br>3000pcs/carton  | 100pcs/bag<br>3000pcs/carton  | 100pcs/bag<br>3000pcs/carton  | 100pcs/bag<br>3000pcs/carton  | 100pcs/bag<br>3000pcs/carton  | 100pcs/bag<br>3000pcs/carton  |  |  |  |
| <b>working temperature</b> | -30℃~75℃  | -30℃~75℃  | -30℃~75℃  | -30℃~75℃  | -30℃~75℃  | -30℃~75℃  | -30℃~75℃  |  |  |  |

**SMARTCARD**  
**A M E R I C A**







*The Secure Solution*

[www.SmartCardAmerica.com](http://www.SmartCardAmerica.com)



# RFID Disposable Paper Wristband Series



|                            |   |   |   |   |   |   |  |  |  |  |
|----------------------------|---|---|---|---|---|---|--|--|--|--|
| <b>Photos</b>              |  |  |  |  |  |  |  |  |  |  |
| <b>Product number</b>      | MH-ZZ001  | MH-ZZ002  | MH-ZZ003  | MH-ZZ004  | MH-ZZ005  | MH-ZZ006  |  |  |  |  |
| <b>Shape</b>               | disposable clasp (copper paper)   | disposable clasp (copper paper)   | disposable clasp (copper paper)   | disposable clasp (copper paper)   | disposable clasp (copper paper)   | disposable clasp (tyvek)  |  |  |  |  |
| <b>Size</b>                | 210*35*14MM   | 250*30*14MM   | 250*30*14MM   | 300*32*26MM   | 245*51*26MM   | 255*25MM (背胶)   |  |  |  |  |
| <b>encapsulation</b>       | two step molding  | two step molding  | two step molding  | two step molding  | two step molding  | two step molding  |  |  |  |  |
| <b>LF</b>                  | -   | -   | -   | -   | -   | -   |  |  |  |  |
| <b>HF</b>                  | √   | √   | √   | √   | √   | √   |  |  |  |  |
| <b>UHF</b>                 | √   | √   | √   | √   | √   | √   |  |  |  |  |
| <b>weight</b>              | 1.08g   | 1.20g   | 1.21g   | 1.42g   | 1.58g   | 0.37g   |  |  |  |  |
| <b>package</b>             | 100pcs/bag<br>3000pcs/carton  | 100pcs/bag<br>3000pcs/carton  | 100pcs/bag<br>3000pcs/carton  | 100pcs/bag<br>3000pcs/carton  | 100pcs/bag<br>3000pcs/carton  | 100pcs/bag<br>3000pcs/carton  |  |  |  |  |
| <b>working temperature</b> | -30℃~75℃  | -30℃~75℃  | -30℃~75℃  | -30℃~75℃  | -30℃~75℃  | -30℃~75℃  |  |  |  |  |

**SMARTCARD  
AMERICA**

*The Secure Solution*

[www.SmartCardAmerica.com](http://www.SmartCardAmerica.com)







|  <h2 style="text-align: center;">RFID Wristband Series</h2>  |   |   |   |   |   |   |   |   |  |  |
|--|---|---|---|---|---|---|---|---|--|--|
| <b>Photos</b>  |  |  |  |  |  |  |  |  |  |  |
| <b>Product number</b>  | MH-SB001  | MH-SB002  | MH-SB003  | MH-SB004  | MH-SB005  | MH-SB006  | MH-SB007  | MH-SB008  |  |  |
| <b>Shape</b>   | watch clasp   | watch clasp   | watch clasp   | watch clasp   | watch clasp   | watch clasp   | watch clasp   | watch clasp   |  |  |
| <b>Size</b>  | 243*42.3*18MM   | 228*44.2*18MM   | 245*45.5*20MM   | 105*45.9*18MM   | 230*40.6*18MM   | 248*51.3*22MM   | 245*45.3*18MM   | 222*34.8*16MM   |  |  |
| <b>encapsulation</b>   | two step molding  | two step molding  | two step molding  | two step molding  | two step molding  | two step molding  | two step molding  | two step molding  |  |  |
| <b>LF</b>  | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   |  |  |
| <b>HF</b>  | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   |  |  |
| <b>UHF</b>   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   |  |  |
| <b>weight</b>  | 35.10g  | 44.50g  | 38.10g  | 93.70g  | 39.20g  | 48.10g  | 52.50g  | 19.00g  |  |  |
| <b>package</b>   | 1pcs/bag<br>200pcs/carton   | 1pcs/bag<br>200pcs/carton   | 1pcs/bag<br>200pcs/carton   | 1pcs/bag<br>200pcs/carton   | 1pcs/bag<br>200pcs/carton   | 1pcs/bag<br>200pcs/carton   | 1pcs/bag<br>200pcs/carton   | 1pcs/bag<br>200pcs/carton   |  |  |
| <b>working temperature</b>   | -30℃~75℃  | -30℃~75℃  | -30℃~75℃  | -30℃~75℃  | -30℃~75℃  | -30℃~75℃  | -30℃~75℃  | -30℃~75℃  |  |  |


  
*The Secure Solution*  
[www.SmartCardAmerica.com](http://www.SmartCardAmerica.com)



# RFID Laundry Tag Série



|                            |   |   |   |   |  |  |  |  |  |  |
|----------------------------|---|---|---|---|--|--|--|--|--|--|
| <b>Photos</b>              |  |  |  |  |  |  |  |  |  |  |
| <b>Product number</b>      | MH-XY001  | MH-XY002  | MH-XY003  | MH-XY002  |  |  |  |  |  |  |
| <b>Shape</b>               | coin<br>(PPS)   | coin<br>(PPS)   | water drop<br>(PPS)   | strip<br>(silcone)  |  |  |  |  |  |  |
| <b>Size</b>                | Φ20MM*2.1MM   | Φ23.5MM*2.1MM   | 24MM*29MM*2.1MM   | 85MM*27MM*4MM   |  |  |  |  |  |  |
| <b>encapsulation</b>       | one step molding  | one step molding  | one step molding  | one step molding  |  |  |  |  |  |  |
| <b>LF</b>                  | ✓   | ✓   | ✓   | ✓   |  |  |  |  |  |  |
| <b>HF</b>                  | ✓   | ✓   | ✓   | ✓   |  |  |  |  |  |  |
| <b>UHF</b>                 | -   | ✓   | ✓   | ✓   |  |  |  |  |  |  |
| <b>weight</b>              | 1.10g   | 1.50g   | 1.60g   | 10.20g  |  |  |  |  |  |  |
| <b>package</b>             | 100pcs/bag<br>2000pcs/carton  | 100pcs/bag<br>2000pcs/carton  | 100pcs/bag<br>1000pcs/carton  | 100pcs/bag<br>1000pcs/carton  |  |  |  |  |  |  |
| <b>working temperature</b> | -30°C ~ 220°C   | -30°C ~ 220°C   | -30°C ~ 220°C   | -30°C ~ 75°C  |  |  |  |  |  |  |

**SMARTCARD**  
**A M E R I C A**

*The Secure Solution*

[www.SmartCardAmerica.com](http://www.SmartCardAmerica.com)














# RFID Keyfobs Serise



|                     |   |   |   |   |   |   |   |  |  |  |
|---------------------|---|---|---|---|---|---|---|--|--|--|
| Photos              |  |  |  |  |  |  |  |  |  |  |
| Product number      | MH-YS001  | MH-YS002  | MH-YS003  | MH-YS004  | MH-YS005  | MH-YS006  | MH-YS007  |  |  |  |
| Shape               | waterdrop (silcone)   | house (silcone)   | ptoy (PVC)  | cat (PVC)   | angel (PVC)   | monkey (PVC)  | water drop (PPS)  |  |  |  |
| Size                | 25MM*35MM   | 30MM*35MM   | 47MM*42MM   | 47MM*42MM   | 35MM*47MM   | 38MM*35MM   | 24MM*29MM   |  |  |  |
| encapsulation       | one step molding  | one step molding  | one step molding  | one step molding  | one step molding  | one step molding  | one step molding  |  |  |  |
| LF                  | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   |  |  |  |
| HF                  | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   |  |  |  |
| UHF                 | -   | ✓   | ✓   | ✓   | ✓   | ✓   | ✓   |  |  |  |
| weight              | 6.00g   | 7.50g   | 7.50g   | 7.50g   | 8.70g   | 7.70g   | 1.60g   |  |  |  |
| package             | 100pcs/bag<br>2000pcs/carton  | 100pcs/bag<br>2000pcs/carton  | 100pcs/bag<br>2000pcs/carton  | 100pcs/bag<br>2000pcs/carton  | 100pcs/bag<br>2000pcs/carton  | 100pcs/bag<br>2000pcs/carton  | 100pcs/bag<br>1000pcs/carton  |  |  |  |
| working temperature | -30°C~220°C   | -30°C~220°C   | -30°C~75°C  | -30°C~75°C  | -30°C~75°C  | -30°C~75°C  | -30°C~220°C   |  |  |  |



[www.SmartCardAmerica.com](http://www.SmartCardAmerica.com)

**Please Contact Us**  
**SmartCard America**  
**1113 4th Street,**  
**Rosenberg, Texas 77471, USA**  
**Tel: 281-344-2001 Fax: 832-200-3388**  
**Toll Free 1-800-537-1708**  
**Email: [info@smartcardamerica.com](mailto:info@smartcardamerica.com)**