

# CIPURSE™SAM SLF 9630



## Short Product Overview

### Features

- Enables secured authentication between a reader and CIPURSE™ smart cards using AES-128 based authentication schemes or cards using NRG™ (ISO/IEC 14443-3 type A with CRYPTO1) technology
- Dedicated key management system including key derivation and key upload
- Online and Offline modes
- Secured key loading
- Compliant to OSPT™ Alliance CIPURSE™V2 SAM Specification Revision 1.0
  - Supporting CIPURSE™V2 Revision 2.0 CIPURSE™T, CIPURSE™S, CIPURSE™L profiles
  - Up to 8 SAM applications (ADF) configurable
- Unique chip identification number for each chip
- Operating temperature range: -25°C to +85°C
- Storage temperature range: -40°C to +125°C
- ESD protection larger than 2 kV (HBM); 4 kV for ISO/IEC 7816 and USB pads
- Power-saving sleep mode

### Applications

- CIPURSE™SAM Application
- NRG™ (ISO/IEC 14443-3 type A with CRYPTO1) SAM Application
- Generic Crypto Application

### Description

The CIPURSE™SAM is a dedicated high-performance 16-bit Security Controller with “Integrity Guard” that provides CIPURSE™ Secure Access Module (SAM) functionality for use in Automatic Fare Collection (AFC) systems, Access Control systems and other smart card security applications. Further, the CIPURSE™SAM can be used to communicate with NRG™ (ISO/IEC 14443-3 type A with CRYPTO1) 1kByte and 4 kByte smart cards.

Product name	<b>CIPURSE™SAM</b> - <b>SLF 9630</b>
Product description	The CIPURSE™SAM is a dedicated high-performance 16-bit Security Controller with “Integrity Guard” that provides CIPURSE™ and NRG™ SAM functionality for use in Automatic Fare Collection (AFC) systems, Access Control systems and other smart card security applications
Interfaces	ISO/IEC 7816-3 T=1 Contact-based interface
CPU	16-bit
Symmetrical cryptography	AES-128, AES 192, AES 256 and DES, 3DES
Ambient temperature	Operating temperature range: -25°C to +85°C Storage temperature range: -40°C to +125°C
System Features	Secure storage of keys in hardware Secure mutual authentication and communication Supports the personalization and operation of CIPURSE™ and NRG™ smart card products
Delivery forms	ID-1/ID-000 Chip Card with SIM Module
Typical applications	Transport ticketing, Access Control systems, Automatic Fare Collection (AFC) systems and other smart card security applications
Certification level	<b>CC EAL 6+ (high) for HW</b> <b>CIPURSE™V2 certification</b>

For further information on technology, delivery forms and conditions please contact your nearest Infineon Technologies sales representative ([www.infineon.com](http://www.infineon.com))

<sup>1)</sup> (ISO/IEC 14443-3 type A with CRYPTO1)

## Trademarks

All referenced product or service names and trademarks are the property of their respective owners.

**Edition 2022-11-30**

**Published by**

**Infineon Technologies AG**

**81726 Munich, Germany**

**© 2022 Infineon Technologies AG.**

**All Rights Reserved.**

**Do you have a question about this document?**

**Email:**

[CSSCustomerService@infineon.com](mailto:CSSCustomerService@infineon.com)

## IMPORTANT NOTICE

The information given in this document shall in no event be regarded as a guarantee of conditions or characteristics ("Beschaffenheitsgarantie").

With respect to any examples, hints or any typical values stated herein and/or any information regarding the application of the product, Infineon Technologies hereby disclaims any and all warranties and liabilities of any kind, including without limitation warranties of non-infringement of intellectual property rights of any third party.

In addition, any information given in this document is subject to customer's compliance with its obligations stated in this document and any applicable legal requirements, norms and standards concerning customer's products and any use of the product of Infineon Technologies in customer's applications.

The data contained in this document is exclusively intended for technically trained staff. It is the responsibility of customer's technical departments to evaluate the suitability of the product for the intended application and the completeness of the product information given in this document with respect to such application.

## WARNINGS

Due to technical requirements products may contain dangerous substances. For information on the types in question please contact your nearest Infineon Technologies office.

Except as otherwise explicitly approved by Infineon Technologies in a written document signed by authorized representatives of Infineon Technologies, Infineon Technologies' products may not be used in any applications where a failure of the product or any consequences of the use thereof can reasonably be expected to result in personal injury.